

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Camira Group Pty Ltd  
Suite 304/19 Milton Parade  
Malvern VIC 3144

**Test Number :** 17-001661  
**Issue Date :** 2/05/2017  
**Print Date :** 2/05/2017  
**Order Number :** IMO652.16

**Sample Description** Clients Ref : "Vision"  
Flat woven fabric laminated to face  
Colour : HPVB04/Grid Blue  
End Use : Seating  
Nominal Composition : 100% Polyester  
Nominal Mass per Unit Area/Density : 620g/m2  
Nominal Thickness : 2.3mm

**IMO Resolution**  
**A.652(16)**  
**19 October 1989**  
**Section 8.2 (Modified)**

### Recommendation of Fire Test Procedures for Upholstered Furniture - Smouldering Cigarette Test

Test Conditions  
Temperature 22 °C  
Relative Humidity 49 %  
Did Ignition Occur No

Extent of Damage	Vertical	Horizontal
Length	2	2 mm
Width	4	2 mm
Depth	0	0 mm

Ignition Source Time 4.75 min  
Smouldering Time 0 min

Assembly Smouldering when Dismantled No  
Test Assembly Self Extinguished Yes  
Flame Time 0 min

89802

18633

Page 1 of 3

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Camira Group Pty Ltd  
Suite 304/19 Milton Parade  
Malvern VIC 3144

**Test Number :** 17-001661  
**Issue Date :** 2/05/2017  
**Print Date :** 2/05/2017  
**Order Number :** IMO652.16

JPS Superkings - Gold cigarettes used with a smouldering rate of 12±3 minutes over 40mm.

Note: Cigarettes failed to smoulder complete length.

89802

18633

Page 2 of 3

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



0204/11/06

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc.(Hons)  
MANAGING DIRECTOR

# AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing

A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031

P.O Box 240, North Melbourne, Victoria 3051

Phone (03) 9371 2400 Fax (03) 9371 2499

## TEST REPORT

**Client :** Camira Group Pty Ltd  
Suite 304/19 Milton Parade  
Malvern VIC 3144

**Test Number :** 17-001661  
**Issue Date :** 2/05/2017  
**Print Date :** 2/05/2017  
**Order Number :** IMO652.16

**IMO Resolution**  
**A.652(16)**  
**19 October 1989**  
**Section 8.3**

### Recommendation of Fire Test Procedure for Upholstered Furniture - Flame Test

#### Test Conditions

Temperature 22 °C

Relative Humidity 49 %

Did Flaming Ignition Occur? No

Extent of Damage	Vertical	Horizontal
Length	0	0 mm
Width	0	0 mm
Depth	0	0 mm

Time for Burning to reach Rig Extremities 0 min

Test Assembly Self Extinguished Yes

Assembly Smouldering when Dismantled No

Modification: Propane/Butane mixture used as ignition source.

89802

18633

Page 3 of 3

© Australian Wool testing Authority Ltd  
Copyright - All Rights Reserved



Accredited for compliance with ISO/IEC 17025

- Chemical Testing  
- Mechanical Testing  
- Performance & Approvals Testing

: Accreditation No. 983  
: Accreditation No. 985  
: Accreditation No. 1356

Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



0204/11/06

APPROVED SIGNATORY

MICHAEL A. JACKSON B.Sc. (Hons)  
MANAGING DIRECTOR